arXiv:1303.1679v1 [physics.chem-ph] 7 Mar 2013

The Molecule Calculator: A web-server for fast quantum mechanics-based estimation of molecular properties

Jan H. Jensen* and Jimmy C. Kromann

March 8, 2013

Department of Chemistry, University of Copenhagen,
Universitetsparken 5, 2100 Copenhagen, Denmark

Abstract

A new web-server called The Molecule Calculator (MolCalc) is presented. The entry page is a molecular editor (JSmol) for interactive molecule building. The resulting structure can then be used to estimate molecular properties such as heats of formation and other thermodynamic properties, vibrational frequencies and vibrational modes, and molecular orbitals and orbital energies. These properties are computed using the GAMESS program at either the RHF/STO-3G (orbitals and orbital energies) or PM3 level of theory (all other properties) in a matter of seconds or minutes depending on the size of the molecule. The results, though approximate, can help students develop a "chemical intuition" about how molecular structure affects molecular properties, without performing the underlying calculations by hand - a near impossible task for all but the simplest chemical systems.

Keywords: Undergraduate, Computer-Based Learning, Inquiry-Based/Discovery Learning, Thermodynamics, MO theory, spectroscopy

To be submitted to *Journal of Chemical Education*
as a Technology Report

Introduction

The Molecule Calculator(1) (MolCalc) is a web interface that allows students to build small molecules and estimate molecular properties such as molecular structure, thermodynamic properties, vibrational frequencies, vibrational modes, molecular orbitals and orbital energies in a matter of seconds or minutes - depending on the size of the molecule. A video demonstrating these features can be be found on the website.(2)

MolCalc is designed for teaching and assignments in which the students build their own molecules and estimates their own molecular properties, as opposed to reading from tables in textbooks. MolCalc is therefore designed to run fast and the estimated molecular properties will not match experimental values exactly, and in some cases be quite different. The idea is to have students develop a "chemical intuition" about how molecular structure affects molecular properties, without performing the underlying calculations by hand (which would be near impossible for all but the simplest chemical systems).

Just like a pocket calculator or a symbolic math program (such as Mathematica or MAPLE), MolCalc allows one to assign "higher level" chemical problems that are not practically possible to solve otherwise. For example, one might now ask students to compute the effect of a substituent on a particular vibration and then rationalize the effect using molecular orbitals. Or one might ask more open ended questions such as "build a molecule with an unusually long C-C single bond".(4)

How MolCalc works

MolCalc is split into two steps, building the molecule and calculating properties. The editor is centered around the JSmol(6) plugin which is a new JavaScript version of the popular Jmol(5) visualization program that, unlike Jmol, works on a broad range of devices without the use af Java, such as the iPhone and iPad.

Different starting structures are provided, as well as the possibility to search for other structures using common names or SMILES. The editor interface is based on a point-and-click approach with a clear intuitive workflow, as seen in Figure 1. JSmol is used for all molecule modifications as well as structure minimization using the MMFF force field(7).

In the Molecule Calculator page the structure is re-optimized at the PM3 level of theory(9) for a maximum of 50 steps, using the GAMESS program.(11) After the minimisation the student is presented with the PM3 minimized structure and the different calculation types. The PM3 structure can then used to compute the heat of formation and other thermodynamic properties, vibrational frequencies and normal modes at the PM3 level of theory, or the molecular orbitals and orbital energies using the RHF/STO-3G level of theory. These calculations are also performed with the GAMESS program. OpenBabel(10) is used to manage input files and coordinate files.

In order to ensure a fast turnaround MolCalc 1.1 allows calculations on (closed shell) molecules with only doubly occupied molecular orbitals and with less than 11 non-hydrogen atoms. Only elements up to Ar are allowed. PM3 is chosen for its speed and the fact that it provides heats of formation. RHF/STO-3G is chosen for the orbital calculations because it provides the virtual orbitals, particularly the lowest unoccupied molecular orbital (LUMO) expected from the linear combination of atomic orbitals (LCAO) model. This is not always the case for larger basis sets.

MolCalc is distributed through Github under the GPL license.(3) The Github page also accepts bug reports and feature requests. The core of MolCalc is written in PHP5, jQuery, HTML5 and Python2.7, but is very modular and can be installed on most webservers, which makes it quite easy to add new capabilities to MolCalc. A copy of the GAMESS code must be obtained separately separately.(8)



Figure 1: The Molecule Calculator (MolCalc) editor page.

Acknowledgements

The development of MolCalc is supported by the University of Copenhagen through the Education at its Best initiative (Den gode uddannelse). The Molecule Editor was inspired, in part, by the Virtual Molecular Modeling Kit (12) developed by Othis Rothenberger and Thomas Newton, and based on a prototype developed by Toke Fritzemeier.

Author Information

Corresponding Author
*E-mail: jhjensen@chem.ku.dk
Notes
The authors declare no competing financial interest.

References

[1] http://dgu.ki.ku.dk/molcalc (accessed March 2013)

[2] http://dgu.ki.ku.dk/molcalc/about (accessed March 2013)

[3] http://github.com/jensengroup/molcalc (accessed March 2013)

[4] http://molecularmodelingbasics.blogspot.dk/2011/12/bond-lengths-avogadro-google-docs-and.html

[5] http://jmol.sourceforge.net (accessed March 2013)

[6] http://chemapps.stolaf.edu/jmol/jsmol/test2.htm (accessed March 2013)

[7] Halgren, T. A., Merck molecular force field. I. Basis, form, scope, parameterization, and performance of MMFF94. J. Comp. Chem., **1996**, 17: 490–519.

[8] http://www.msg.ameslab.gov/gamess/download.html (accessed March 2013)

[9] Stewart J. J. P., Optimization of Parameters for Semiempirical Methods I. Method J. Comp. Chem. **1989** V. 10 2:209-220

[10] O'Boyle N. M., Banck M., James C. A., Morley C., Vandermeersch T. and Hutchison G. R., Open Babel: An open chemical toolbox J. Cheminformatics **2011**, 3:33

[11] Schmidt M.W., Baldridge K.K., Boatz J.A., Elbert S.T., Gordon M.S., Jensen J.H., Koseki S., Matsunaga N., Nguyen K.A., Su S., Windus T.L., Dupuis M., Montgomery J.A., General Atomic and Molecular Electronic Structure System, J. Comput. Chem., **1993**, 14, 1347-1363.

[12] http://molecularmodelingbasics.blogspot.dk/2012/04/virtual-molecular-modeling-kit.html (accessed March 2013)